

Anti-GST antibody, rabbit serum

60-021 100 µl

Glutathione S transferase (GST) from *Schistosoma japonicum* is commonly used to create fusion proteins. GST-tag has the size of 220 amino acids (roughly 26kDa) and is fused to the N-terminus of a protein. GST fusion proteins can be produced in *Escherichia coli*, as recombinant proteins and are used to purify and detect proteins of interest. The GST part binds its substrate, glutathione. GST-fusions protein can be easily purified from cell extracts by affinity chromatography with glutathione resin.

Applications

1. Western blot dilution: 1/2,000~1/10,000
2. Immunoprecipitation assay dependent
3. ELISA

Other applications have not been tested

Specification

Immunogen: Recombinant full-size GST (1-212 aa)

Form: Antiserum with 0.05% sodium azide

Specificity Specific to GST and GST-tagged proteins

Storage: -20°C or for long term storage, -70°C

Data Link

NCBI Protein Data [AAA57089](#)

References

1. Smith DB & Johnson KS (1988) "Single-step purification of polypeptides expressed in *Escherichia coli* as fusions of glutathione-S-transferase." *Gene* 67:31-40 PMID: [3047011](#)
2. Kaelin WG Jr *et al* (1991) "Identification of cellular proteins that can interact specifically with the T/E1A-binding region of the retinoblastoma gene product." *Cell* 64:521-532 PMID: [1825028](#)
3. *Molecular Cloning: A laboratory Manual* (eds. Sambrook, J., Russell, D.W. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA, 2001) pp.15.36-15.39, pp.18.48-18.59.

Fig.1




Fig.1 Detection of GST-tagged protein with this antibody by Western blotting.

- : Lysate of 293T cells transfected with an empty vector
- +: Lysate of 293T cells transfected with the plasmid carrying the GST-tagged importin gene

Fig.2




Fig.2 Immunoprecipitation of GST-tagged protein with this antibody followed by Western blot.

- : Lysate of 293T cells transfected with an empty vector
- +: Lysate of 293T cells transfected with the plasmid carrying the GST-tagged INbox gene